Nemco[®] Equipment

Electric Food Processors powered by Hallde



nemco

RG-50

Combi Cutter

Multifunction Vegetable-Prep Machine

nemco

cc.34

Vertical Cutter/Blender

nemco

VCB-32



a New 'Turn' on Food Processing

High-capacity food prep especially when optimum food quality matters—is not about horsepower or speed. **It's about torque.**

And only one name has that knowledge built into its line of commercial food processors to deliver a performance and ROI unmatched in the industry.





Higher Food Quality

Unlike other commercial processors that over-rely on speed to maximize throughput, Nemco places an emphasis on **torque** to maintain cutting strength, without "attacking" and tearing the food. You still get the high-capacity throughput. But you also get a cleaner, higher integrity cut and finer blending textures for optimum food flavor, aroma and appearance.

More Cutting Versatility

Higher **torque** means better acceleration and power. Starting from zero, Nemco's blades hit top speed faster and maintain that speed regardless of the load—whether cutting a soft tomato or a stubborn cheese. You get more product uniformity, across a wider range of processing options.

Longer Performance Life

Optimum speed-to-torque doesn't just relieve stress on the food. It relieves stress on the blades. In combination with a stout, robust design, including a cast-aluminum cutting chamber, internal metal-to-metal contact points, commercial-grade ABS plastic and other features spec'd for durability, you get a processor that lasts at least twice as long as others on the market.

Oh, And, Super-Easy Operation

Like you'd expect from the leader in countertop food prep, every Nemco processor is ergonomically designed with smart safety features for simple operation. Plus, they have easy-to-disassemble, dishwasher-safe components and they're all lightweight and compact with handles for easy mobility and storage.

Multifunction Vegetable-Prep Machine

Slice, dice, shred, grate, crinkle-cut or julienne just about any produce or cheese item you can imagine in volumes that will improve your kitchen efficiency like you've never seen. Smart speed-to-torque engineering works fast while minimizing stress on both the food and the blades for optimum food quality and longer service life.

Wide opening and blade diameter optimize feed capacity

Processes 5 lbs/minute

Cutting tool changeout is super easy—even for rookies

*Comes standard with 5/32" Slicer and 5/64" Grater/Shredder

Also Available: Model RG-50S Does everything the RG-50 does, but without the dicing capability.

Vertical Cutter/Blender

Chop, grind, mix, mince, puree or blend an endless array of proteins, produce and more. Two speeds, with the right torque application

ensure crisp, clean cuts; smooth, uniform textures; and perfectly harmonized blends. A patented three-scraper system clears food away from the lid and bowl and forces it back into the blades to prevent "chasing" that generates friction and unwanted preheat.

Three-scraper system with handle works with a simple rocking motion

3 quart-capacity bowl for blending

Two speeds with a pulse function apply ideal RPM for cutting or blending

Combi Cutter

This is your most versatile food-processing tool yet, equipped with four speeds and the functionality to combine all the vegetable-prep and blending capabilities of the above machines into one dynamic unit.

For vegetable prep, processes 5 lbs/minute

3 quart-capacity bowl for blending

Speeds change automatically, per the desired function, with no manual adjustments needed—so, the perfect result is guaranteed, even in the hands of your most inexperienced staff

*Comes standard with 5/32" Slicer and 5/64" Grater/Shredder

Also Available: Model CC-32S

Does everything the CC-34 does, but without the dicing capability.

Suggested Uses

Ideal for restaurant & hospitality operations, as well as healthcare and school institutions, looking to increase food-prep volume on anything from fruits and veggies to cheese, dry bread, nuts and more.

General Specifications

Model	Description	
RG-50	Vegetable-Prep Machine,	
	Multifunction w/Dicing	
RG-50S	Vegetable-Prep Machine,	
	Multifunction	
Dimensions		
Equipment (w x d x h)	11.2" x 13.8" x 18.3"	
Shipping Carton (I x d x h)	19" x 12" x 18.5"	
Equipment Weight	20 lbs (RG-50), 18 lbs (RG-50S)	
Shipping Weight	24 lbs (RG-50), 20 lbs (RG-50S)	
Electrical Specs: 120V, Single-Phase, 60 Hz		

Motor: 1kW, One-Speed (500 RPM)

(NSE) (UL)

Suggested Uses

Perfect for restaurants, cafés, bars or any operation that serves specialty drinks or house-made nut butters, soups, sauces, dressings or pâtés. Especially ideal for healthcare facilities with patients who can't chew food.

General Specifications

Model	Description		
VCB-32	Vertical Cutter/Blender		
Dimensions			
Equipment (w x d x h)	11.2" x 13.2" x 17.3"		
Shipping Carton (I x d x h)	19" x 12" x 18.5"		
Equipment Weight	19 lbs		
Shipping Weight	24 lbs		
Electrical Specs: 120V, Si	ngle-Phase, 60 Hz 🔍 👝		
Motor: 1kW. Two-Speed (1 450 or 2 650 RPM) (NSF) (UL)			

Model VCB-32

Model CC-34

Model RG-50

Suggested Uses

Any operation that wants to deploy a full arsenal of highcapacity food processing capabilities will want this amazing utility machine. Run loads of produce, cheeses and more through a wide range of cut variations. Or, grind and puree everything from meats and fish to veggies and nuts. Or, blend nearly any set of ingredients into a perfect house recipe.

General Specifications

Model	Description
CC-34	Combi Cutter, Multifunction w/Dicing
CC-32S	Combi Cutter, Multifunction
Dimensions	
Equipment (w x d x h)	11.2" x 13.8" x 18.3"
Shipping Carton (I x d x h)	19" x 12" x 18.5"
Equipment Weight	19 lbs (CC-34), 17 lbs (CC-32S)
Shipping Weight	29 lbs (CC-34), 22 lbs (CC-32S)

Electrical Specs: 120V, Single-Phase, 60 Hz CC-34 Motor: 1kW, Four-Speed (500/800 RPM or 1,450 or 2,650 RPM) CC-32S Motor: 1kW, Two-Speed (500 RPM or 1,450 RPM) (NSE) (U)`



Far More Cutting Options Than Any Other Countertop Food Processor

For RG and CC models, use this cutting-tool selection guide to identify the cut type and thickness variations you want.





5/16

3/8"

15/32" Low

5/8" Low

Far More Output Variations Than *Any* Other Countertop Food Processor



Cutting Tools

RG-50, RG-50S Vegetable-Prep Machines	

	Model #	Description
	285001	Slicer 1/32" (1 mm)
	285002	Slicer 5/64" (2 mm)
×	285004	Slicer 5/32" (4 mm)
	285006	Slicer 7/32" (6 mm)
	263104	Slicer 3/8" (10 mm)
	283375	Soft Slicer 5/16" (8 mm)
	283364	Soft Slicer 3/8" (10 mm)
	283385	Soft Slicer 15/32" (12 mm)
	283383	Soft Slicer 5/8" (15 mm)
	285048	Crimping Slicer 5/32" (4 mm)
	285057	Julienne Cutter 5/64" (2x2 mm)
	285050	Julienne Cutter 5/32" (4x4 mm)
	263138	Julienne Cutter 7/32" (6x6 mm)
×	285044	Grater/Shredder 5/64" (2 mm)
	285040	Grater/Shredder 5/32" (4 mm)
	285045	Grater/Shredder 7/32" (6 mm)
	283214	Grater/Shredder 5/16" (8 mm)

285001 285002 *285002 *285004 285006 263104 283375 283364 283385
Combi Cutter * 285004 285006 263104 283375 283364
* 285004 285006 263104 283375 283364
263306 263104 283375 283364
283375 283364
283364
283385
283383
285048
285057
285050
263138
* 285044
285040
285045
283214

odel #	Description
35001	Slicer 1/32" (1 mm)
35002	Slicer 5/64" (2 mm)
85004	Slicer 5/32" (4 mm)
35006	Slicer 7/32" (6 mm)
63104	Slicer 3/8" (10 mm)
33375	Soft Slicer 5/16" (8 mm)
3364	Soft Slicer 3/8" (10 mm)
33385	Soft Slicer 15/32" (12 mm)
33383	Soft Slicer 5/8" (15 mm)
35048	Crimping Slicer 5/32" (4 mm)
35057	Julienne Cutter 5/64" (2x2 mm)
35050	Julienne Cutter 5/32" (4x4 mm)
63138	Julienne Cutter 7/32" (6x6 mm)
35044	Grater/Shredder 5/64" (2 mm)
35040	Grater/Shredder 5/32" (4 mm)
35045	Grater/Shredder 7/32" (6 mm)
33214	Grater/Shredder 5/16" (8 mm)

*Comes standard with each Combi Cutter.

*Comes standard with each Vegetable-Prep machine.

	Model #	Description
11 11	283291	Dicing Grid 5/16" pairs with:
Dicing Options		283375 Soft Slicer 5/16" (8 mm)
(RG-50 and	283292	Dicing Grid 3/8" pairs with:
CC-34 Only)		263104 Slicer 3/8" (10 mm)
1 - A		283375 Soft Slicer 5/16" (8 mm)
		283364 Soft Slicer 3/8" (10 mm)
	283294	Dicing Grid Low 15/32" pairs with:
		283385 Soft Slicer 15/32" (12 mm)
	283296	Dicing Grid Low 5/8" pairs with:
		283385 Soft Slicer 15/32" (12 mm)
		283383 Soft Slicer 5/8" (15 mm)



Replacement parts are available through Nemco's 24-hour Zip Program.

Nemco reserves the right to make design, specification or model changes without notice.



Physical Address: Corporate HQ 301 Meuse Argonne I Hicksville, OH 43526 **800.782.6761 • 419.542.7751 • f:** 419.542.6690

Mailing Address:

PO Box 305 | Hicksville, OH 43526 Nemco West Distribution Center/Test Kitchen 4300 E Magnolia Street | Phoenix, AZ 85034

NemcoFoodEquip.com

Printed 4/21. Printed in the U.S.A.